

**TENDER FOR SUPPLYING AND FIXING OF BACK LIT SIGN BOARDS IN VARIOUS BUILDINGS OF LIC SOUTHERN ZONE IN CHENNAI**

**Annexure II**

							<b>Financial Bid</b>		
S No	Work Reference Number	Cost of Manufacturing, Fixing including Transport and Trouble Free Maintenance for Three Years (A)	GST @ 18% on A	Less Scrap Value of Old Board (if applicable) (B)	GST on Buy Back Value	Net Cost (A-B)	AMC Cost for Fourth Year after the Free Maintenance period of Three Years from the date of installation (C)	Total Cost of Installation of Board including Maintenance Cost for Fourth Year (A-B)+C	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
I	SZ/2024/001								
II	SZ/2024/002								
III	SZ/2024/003								
IV	SZ/2024/004								
V	SZ/2024/005								
VI	SZ/2024/006								
VII	SZ/2024/007								
	TOTAL RS.								
TOTAL RUPEES IN WORDS									

\* If there is any discrepancy in rates quoted in figure and words, the rates quoted in words only will be taken into consideration. The measurements mentioned in the annexed individual pages containing the size of the boards to be installed have to be read carefully before quoting the rates. Lowest bidder will be determined as per column (9)

This is to certify that I/We, before signing this tender, have read and fully understood all the terms and conditions contained herein and as in Annexure I, and undertake to abide by the same.

Date:

Signature of the Vendor with Seal

Name:  
Designation:  
Address:

**WORK REFERENCE NO : SZ/2024/001**

<b>SCOPE OF WORK</b>
1. Installation of Backlit Signage Board at C Block Ayanavaram LIC Officers Quarters (SIZE 3 ft X 2 ft)
2. Installation of Backlit Signage Board at D Block Ayanavaram LIC Officers Quarters (SIZE 3 ft X 2 ft)
3. Installation of Backlit Signage Board at E Block Ayanavaram LIC Officers Quarters (SIZE 3 ft X 2 ft)
4. Installation of Backlit Signage Board at F Block Ayanavaram LIC Officers Quarters (SIZE 3 ft X 2 ft)
5. Installation of Backlit Signage Board at G Block Ayanavaram LIC Officers Quarters (SIZE 3 ft X 2 ft)

<b>S.No</b>	<b>Specification of Work for Wrapping Single Side Back Lit Light Boards</b>
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work, if needed based on site conditions

Note: The Boards have to be affixed in five different adjacent locations that are located in the same area. The address of the locations have been shared as Annexure. All five boards shall be of uniform size. The total rate for fixing of all the five boards in the said locality should be indicated cumulatively, in the Financial Bid under the work reference no SZ/2024/001

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

**ADDRESS OF LOCATIONS AT AYANVARAM**

<b>S.NO</b>	<b>NAME OF THE QUARTERS</b>	<b>ADDRESS OF THE LOCATION</b>
1	C BLOCK, LIC OFFICERS QUARTERS	Door No 16 (Plot No 61) III Main Road, United India Nagar, Ayanavaram, Chennai 600023
2	D BLOCK, AYANAVARAM STAFF QUARTERS	Plot No 73, II Main Road, United India Nagar, Ayanavarm, Chennai 600023
3	E BLOCK, AYANAVARAM STAFF QUARTERS	Door No 8 (Plot No 81) II Main Road, United India Nagar, Ayanavarm, Chennai 600023
4	F BLOCK, AYANAVARAM STAFF QUARTERS	Door No 12 (Plot No 101) II Main Road, United India Nagar, Ayanavarm, Chennai 600023
5	G BLOCK, AYANAVARAM STAFF QUARTERS	Plot No 95, Opp LIC City Branch 31, II Main Road, United India Nagar, Ayanavaram, Chennai 600023

Date:

**SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL**

WORK REFERENCE NO : SZ/2024/002

S No	Scope of Work
1	Location: VIP Guet House, No 7/13, 10th Avenue, Harrington Road, Chennai 600030
2	Nature of Work: Removal of existing Back Lit Signage Board and affixing a New Single Side Backlit Signage Board of size 6 ft X 4 ft, as per the specifications found herein below:

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 6 ft X 4 ft
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1 inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

WORK REFERENCE NO : SZ/2024/003

S No	Scope of Work
	Location: LIC Staff Quarters, SIR A.P. Patro Salai, K.K. Nagar, Chennai 600078.
1	Two Boards - One Board at the Front Side and Other at the Back Side
	Nature of Work: Removal of existing Two Numbers of Back Lit Signage Board and affixing Two Numbers of New Single Side Backlit Signage Board of size 12 ft X 3 ft, as per the specifications found herein below:
2	

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 12 ft X 3 ft - 2 Nos
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0" X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

WORK REFERENCE NO : SZ/2024/004

S No	Scope of Work
1	Location: LIC Officers' Quarters, New No 61 (Old No 27), Giri Road, T. Nagar, Chennai 600017
2	Nature of Work: Removal of existing Back Lit Signage Board and affixing New Single Side Backlit Signage Board of size 12 ft X 3 ft, as per the specifications found herein below:

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 12 ft X 3 ft
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

WORK REFERENCE NO : SZ/2024/005

S No	Scope of Work
1	Location: Guest House, National Insurance Building, Chennai 600001.
2	Nature of Work: Affixing a New Board of Size 6 ft X 3 ft on the 4th Floor (Top Floor) Front Facade of Guest House Building, as per th especifications found herein below:

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 6 ft X 3 ft
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

WORK REFERENCE NO : SZ/2024/006

S No	Scope of Work
1	Location: Officers Quarters, New No 44, Old No 73, Alandur Road, Saidapet, Chennai 600015
2	Nature of Work: Removal of existing Back Lit Signage Board and affixing New Single Side Backlit Signage Board of size 6 ft X 4 ft, as per the specifications found herein below:

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 6 ft X 4 ft
a	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects. Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL

WORK REFERENCE NO : SZ/2024/007

S No	Scope of Work
1	Location: Bombay Mutual Building Front Facade Left Hand Corner, facing the High Court
2	Nature of Work: Removal of existing Back Lit Signage Board and affixing New Single Side Backlit Signage Board of size 24 ft X 4 ft at Left Corner, as per the specifications found herein below:

S.No	Specification of Work for Wrapping Single Side Back Lit Light Boards - Size 24 ft X 4 ft
	Single Side Backlight signboards (4" depth) (Out Door), Main frame for the box 1.0"X 1.0' square MS pipe (18 gauge) with painting, Tensioning system Klick rail with Allenky bolt (mechanical tensioning), Box frame to be covered with 26 gauge Powder coated GI sheet Top, Bottom & Side panels 4 inches depth, 26 gauge GI Sheet (white painted from inside) for back panel. Job scope includes fabrication, labour and installation in all respects.
a	Electrical Crompton / Philips / Samsung / Osram / Bajaj / Orient 3i LED with Impex Pro Power Supply appropriate fittings, internal wiring finolex core / branded wire of ISI mark FRLS wire
b	Fitting L - Angle 1x1inch 6mm thickness ( each 5 feet) with two coat branded paint (primer & Black Paint)
c	Print Star Backlight Flex with 270 ounce 12 pass UV Print 3 years warranty
d	Display Board 1 inch square pipe with two coat paint (primer & Black Paint) with 3mm ACP Cladding, Logo & Address printed with 3M vinyl or UV Print with minimum 3 years warranty (2630-19 Yellow, 2630-09 VIVID Blue)
e	Temporary Platform / Scaffolding for fixing the Boards
f	Pole - 3inch Dia pole 4mm thickness, two coat paint (primer & Black Paint) with masonry work only if needed. Existing Iron Structure to be used for fixing the Board(s).

Date :

SIGNATURE OF THE AUTHORISED PERSON WITH DESIGNATION AND SEAL