


Amendment- 1
E-TENDER FOR SUPPLY, INSTALLATION, TESTING & COMMISSIONING OF 01 No. 08 PASSENGER LIFT IN DO BUILDING, JEEVAN PRAKASH, LUCKNOW.

TENDER NO: (LIC)/NCZ/Engg/LT-14/2023-24)

Page No	Sl. No.		As per tender	Amendment
20 of Bid-II	m)	Car entrance Door	Automatic Power operated, Centre opening half vision panel clear toughen glass sliding stainless steel doors of honeycomb finish with clear opening in doors (900 mm) as per latest IS specifications and as per site conditions. Lift shall be provided with full infrared door curtain device to ensure that the car door does not close in case of obstruction to the sensor.	Automatic Power operated, Centre opening half vision panel clear toughen glass sliding stainless steel doors of honeycomb finish with clear opening in doors (800 mm) / (900 mm) or as per latest IS specifications and as per site conditions. Lift shall be provided with full infrared door curtain device to ensure that the car door does not close in case of obstruction to the sensor.
20	p)	Door Opening & Door Operation	Automatic Power operated centre opening Doors , Complete with interlocks and arrangement for automatic operation and with microprocessor based control system & Infrared Door protection	Automatic Power operated Telescopic opening Doors , Complete with interlocks and arrangement for automatic operation and with microprocessor based control system & Infrared Door protection

This amendment is part of the tender document & bidders have to submit/upload this amendment along with tender documents with authorized signature & stamped. Bidders are advised to quote the rate accordingly.



1 Dy. Chief Engineer
 N
 E